



**Table 1. Sequential [Sepsis-Related] Organ Failure Assessment Score<sup>a</sup>**

System	Score				
	0	1	2	3	4
Respiration					
Pao <sub>2</sub> /Fio <sub>2</sub> , mm Hg (kPa)	≥400 (53.3)	<400 (53.3)	<300 (40)	<200 (26.7) with respiratory support	<100 (13.3) with respiratory support
Coagulation					
Platelets, ×10 <sup>3</sup> /μL	≥150	<150	<100	<50	<20
Liver					
Bilirubin, mg/dL (μmol/L)	<1.2 (20)	1.2-1.9 (20-32)	2.0-5.9 (33-101)	6.0-11.9 (102-204)	>12.0 (204)
Cardiovascular	MAP ≥70 mm Hg	MAP <70 mm Hg	Dopamine <5 or dobutamine (any dose) <sup>b</sup>	Dopamine 5.1-15 or epinephrine ≤0.1 or norepinephrine ≤0.1 <sup>b</sup>	Dopamine >15 or epinephrine >0.1 or norepinephrine >0.1 <sup>b</sup>
Central nervous system					
Glasgow Coma Scale score <sup>c</sup>	15	13-14	10-12	6-9	<6
Renal					
Creatinine, mg/dL (μmol/L)	<1.2 (110)	1.2-1.9 (110-170)	2.0-3.4 (171-299)	3.5-4.9 (300-440)	>5.0 (440)
Urine output, mL/d				<500	<200

<sup>a</sup>Abbreviations: Fio<sub>2</sub>, fraction of inspired oxygen; MAP, mean arterial pressure;

<sup>b</sup>Catecholamine doses are given as μg/kg/min for at least 1 hour.